List of Australian Game Birds and other species which should be protected by the "Game Preservation Act,"—by E. Pierson Ramsay, F.L.S., Curator of the Museum, Sydney.

			Dis	stril Sp	buti eci		of	
Local or Vulgar and Scientific Name.	Months of Breeding.	N. S. W.	N. Aust.	Queensland	Victoria.	S. Aust.	Tasmania.	West Aust.
Laughing Jackass or Giant Kingfisher (Dacelo gigas) Leache's Giant Kingfisher (Dacelo leachii) Vig. and Morsj and (Dacelo cervina) var. The Lyre-bird or Menura (Menura superba) Port Phillip Lyre-bird (M. Victorle) var Prince Albert's Lyre-bird (M. Alberti)	May, June, July, August, September and October.	**	*	* **?	*	*		
DOVES Swainson's Fruit - Pigeon, Dove (Ptilinopus swainson'i Gould) Ewing's Fruit-Pigeon, Dove (P. Ewingii Gould) Superb Fruit-Pigeon, Dove (P. Superbus) Magnificent Fruit - Pigeon (Megaloprepia magnifica) The North Australian, var. of same (M. Magnifica var. Assimilis.) White-headed Fruit-Pigeon (Leucomelena norfolciensis) Torres Straits Fruit-Pigeon (Myristicivora spilorrhoa)	October, November, December to end of February.	**	* * *	** **				

			Di	Sp	but ecie		of	
Local or Vulgar and Scientific Name.	Months of Breeding.	N. S. W.	N. Aust.	Queensland	Victoria.	S. Aust.	Tasmania.	West Aust.
THE CROWNED, OR "TOP-KNOT" PIGEON. Flock Pigeon, &c. (Lopho- LAIMUS ANTARCTICUS) GROUND PIGEONS AND DOVES.	October and November to January.	*	*	*				
Green-backed Ground Dove (CHALCOPHAPS CHRYSO- CLORA) Northern var. of same species (CHA. LONGIROSTRIS Gould) The Wonga-wonga Pigeon	ot., Nov., Dec., to end of Jan.	*	*	* *?	*			
(LEUCOSARCIA, PICATA) BRONZE-WINGED PIGEONS, ETC. Bronze-winged Pigeon, the Common Bronzewing, &c., (PHAPS CHALCOPTERA) Elegant Bronzewing, Scrub	Aug., Sept., Oct., to end of Dec.	*	*	*	*	*	*	*
Bronzewing, &c. (PH. ELEGANS) The Harlequin Bronzewing	July, August to December November to	*		*	*	*	*	六
(Phaps histrionica) The Partridge Bronzewing (Geophaps scripta)	Jan. and Feb. November to end of Jan.	*	**	*	*	55-		
Smith's Bronzewing (Geo- PHAPS SMITHII)	Aug. to Nov.		*	*				
Plumed Bronzewing (Lopho- PHAPS PLUMIEERA) Rust-colored Plumed Bronze- wing (Loph. Ferruginea)	during July, Aug. & Sept. July, August September.		*	*	*	*		*

						100		
			Dis	Sp	eci	es.		
Local or Vulgar and Scientific Name.	Months of Breeding.	N. S. W.	N. Aust.	Queensland	Victoria	S. Aust.	Tasmania.	West Aust.
The Crested Bronzewing (Oxyphaps lophotes) White-quilled Bronzewing	Nov., Dec., and Jan. Probably	*	*	45	*	*		
Rock Bronzewing, var. (Petrophassa albipennis)	from Aug. to Dec.		*	*	*			
GROUND DOVES. Barred-shouldered Dove (Geo-	July, Aug., Sept. and Oct	*	*	*	*			
The Peaceful Dove (Geopelia Tranquilla Gould) The Placid Dove (Geopelia	g, to	*	*	*	*	*		
PLACIDA) The Little Turtle Dove (Geo-	uly, An	*	*	*	**	*		*
PELIA CUNEATA) Large-tailed Scrub Pigeon (Macropggia phasianella)	Oct., Nov., to end of Dec.	*	*	*	於			
MOUND RAISING BIRDS. The Wattled Talegalla or								
Brush Turkey (TALEGAL- LUS LATHAMI) The Mallee Hen (Leipoa),	Sept. to Jan.	-97-	*	*	*/*			
(LEIPOA OCCELLATA) Australian Megapode (MEGA-PODIUS TUMULUS)	Oct. to Feb. Oct., Nov., to end of Feb.	*	*	*	*	**		*
TURNICES, QUAIL, &C., AND ALLIED GENERA.								
The Black-breasted Turnix (Turnix Melanogaster Gould)	Sept. to Feb.	非		*				

			Di	stri Sl	but peci		0:	f
Local or Vulgar and Scientific Name.	Months of Breeding.	N. S. W.	N. Aust.	Queensland	Victoria.	S. Aust.	Tasmania.	West Aust.
The Varied Turnix Painted Quail (Turnix Varius)	Sept. to end of Jan. Probably	*		48	*	*	*	*
The Speckled Turnix (Turnix scintillans, Gould)	during Oct. to end of Jan. Probably							*
The Black-backed Turnix (TURNIX MELANOTUS) The Chestnut-backed Tur-	from Oct. to end of Jan.	*	*?	*				
nix (Turnix castanotus, Gould) The Swift-flying Hemipode	Oct. to end of Feb.		外	*				
(Turnix (Hemipodius) VE- Lox, Gould)	Sept., Oct., to Dec.	*	*	發	*	※		
(Turnix (Hemipodius) PYRRHOTHORAX) The Collared Plain Wanderer	Sept., Oct., to end of Dec.	*	37:	本?	於	*		
(PEDIONOMUS TORQUATUS)	Sept. to Feb.	*			#	*		
PERDICES, TRUE QUAILS, AND ALLIED SPECIES.								
The Pectoral Quail, Stubble Quail, &c. (COTURNIX PECTORALIS, Gould) The Swamp Quail, Brown Quail, Garden Quail, &c.	Sept. to end of Jan.	*		*	35°	*	*	*
(Synoicus Australis) The Tasmanian Swamp Quail (Synoicus diemenensis,	Oct. to Feb.	*		*	排	米	*	ele.
Gould)	Oct to Feb.						*	

		Distribu Spec					of	
Local or Vulgar and Scientific Name.	Months of Breeding.	N. S. W.	N. Aust.	Queensland	Victoria.	S. Aust.	Tasmania.	West Aust.
Sombre Swamp Quail (Synorcus sordidus, Gould) The Northern Swamp Quail (Synorcus cervinus)	Probably from Oct. to Feb. Probably from Oct. to Feb.		*	*		米		
The Least Swamp Quail, King Quail, Chinese Quail, &c. (SYNOICUS (Excalfatoria) SINENSIS, Gould)	Oct. to end of Feb.	*	*	*	*	*		
The Emu (DROMAIUS NOVÆ-HOLLANDIÆ) The Speckled or Spotted Emu (DROMAIUS IRRORA-TUS, Bartl.) The Australian Cassowary	June, July, to Sept. July to Sept.	*	*	*	*	*	*	*
(CASUARIUS AUSTRALIS, Wall) The Australian Bustard or Plain Turkey (Eurodotis	July, Aug., and Sept.	*	*					
(Otis) Australis)	of Nov.	*	茶	*	*	*		
The Australian Stone Plover, Land Curlew, &c. (ŒDI- CNEMUS GRALLARIUS)	Sept. to end of Dec.	*	*	*	*	*		*

			Dia		but		of	
Local or Vulgar and Scientific Name.	Months of Breeding.	N. S. W.	N. Aust.	Queensland	Victoria.	S. Aust.	Tasmania.	West Aust.
The Thick-knee, Large-billed Shore Plover, &c. (Esacus MAGNIROSTRIS) The White-breasted Oyster-	Probably during Sept. to Nov.		*	*				
catcher (Hematopus Longirostris, Vicill.) The Sooty Oyster-Catcher	Sept. to end of Dec.	*	*	*	*	*	*	*
(Hæmatopus fuliginosus. Gould) The Spur-winged Plover	Sept. to end of Dec. Sept. to end	*	*	*	*	*	*	*
(Lobivanellus lobatus) The Masked Spur-wing Plover "Wattled Plover," &c.	of Jan.	*	*	*	*	*		
(Lobivanellus personatus) The Black-breasted Plover (Sarciophorus pectoralis)	Aug., Sept., and Oct. Sept. to end of Jan.	*	*		*	*	*	
The Grey Plover (CHARADRIUS (Squatarola) HELVETICA)	Not known to breed in Australia. Notyetfound	*	*	*	*	米	*	*
The Golden Plover (CARAD-RIUS LONGIPES)	breeding in Australia. Probably	*	*	*	*	*	*	*
The Australian Dotterel (Eudromias Australis)	during Sept.; not known. Not known	*		*	*			
The Asiatic (?) Dotterel (Eudromias veredus)	to breed in Australia. Not found		*					
The Ring-Dotterel (ÆGIALITIS HIATICULA)	breeding in Australia.	*						

			Dis		outi		of	
Local or Vulgar and Scientific Name.	Months of Breeding.	N. S. W.	N. Aust.	Queensland	Victoria.	S. Aust.	Tasmania.	West Aust.
The Hooded Dotterel (ÆGIALITIS MONARCHA)	Oct. to end of Dec.	米		*	*	*	*	*
The Black-breasted Dotterel (ÆGIALITIS NIGRIFRONS)	Oct. to end of Dec.	樂	*	*	*	*		
The Red-capped Dotterel (ÆGIALITIS RUFICAPILLUS)	Oct. to Jan. Not known;	*	*	*	*	米	*	*
The Allied Dotterel (ÆGI-ALITIS INORNATUS)	probably Oct. to Jan. Not known	*	*	*	*	*	*	米
The Double-banded Dotterel (ÆGIALITIS BICINCTUS) The "Banded Red-knee,"	probably Oct. to Jan.	楽		米	*	*		米
Red-kneed Dotterel (Err- THROGONYS CINCTUS, Gould)	Sept. Oct. to end of Dec. Not known	*		柒	*	*		
Bartram's Sandpiper (Actiturus bartramius)	to breed in Australia. Not known	*						
The Australian Pratincole (Glarcola grallaria, Temm.)	to breed in Australia. Not known	*	*	*				
The Oriental Pratincole (Glareola Orientalis) The White-headed Stilt	to breed in Australia.		*					
(HIMANTOPUS LEUCOCEPHA- LUS, Gould)	September to December.	*	*	*	*	*		*
The Banded Stilt (CLADOR-HYNCHUS PECTORALIS, Gould)	Probably from Sept. to Dec.; not yet found breeding	*?			*	*		*

			Dis	stril Sp	buti		of	
Local or Vulgar and Scientific Name.	Months of Breeding.	N. S. W.	N. Aust.	Queensland	Victoria.	S. Aust.	Tasmania.	West Aust.
The Red-necked Avocet (Recurvirostra rubricollis, Temm.)	Probably from Sept. to Dec.; not yet found breeding	*	*	*	*	*	*	米
The Black-tailed Godwit (Limosa melanuroides, Gould) The Barred-rumped Godwit (Limosa uropygialis)	pecting the ey probably late as Jan.	*	*	*	*	米	*	米
The Marsh Tringa (Tringa accuminata, <i>Horsf.</i>) The Knot (Tringa canutus, L.)	n on record resp in Australia; the cor perhaps as la e North.	*	*	*	杂	米	*	柒
The Great Sandpiper (Tringa tenuirostris, Horsf.) The Little Sandpiper (Tringa (Actodromus) Australis, Cuv.)	aformation of species in A Feb. to the N	*	*	*	米	*	*?	*
The Curlew Sandpiper (Tringa (Schæniclus) subarquata, Güld.) The Terek Sandpiper (Tere-	No authentic information on record respecting breeling of these species in Australia; they prob breed during Oct. to Dec.; or perhaps as late as J to beginning of Feb. to the North.	*	*	杂	*	*	*	*
kia cinerea) The Common Sandpiper,	(4224)	यः						
Tringoides hypoleucus L. (Actitis empusa, Gould)	d respecting hese birds in y breed durfan. and Feb.	*	*	*	*	*	*	米
The Green Shank (Glottis glottoides, Gould) The Marsh Sandpiper (To-	n of the robably Dec., Jai	*	*	*.	*	柒	*	米
tanus stagnatilis, Temm) The Grey-rumped Sandpiper (Totanus brevipes, Cuv.)	No Information on record respecting the breeding season of these birds in Australia , they probably breed during the months of Dec., Jan. and Feb.	*	*					
The Turnstone (Cinclus (Strepsilas) interpres)	No Inf the bre Austra ing the	*	*	*	*	*	*	*

			Dis		buti		of	
Local or Vulgar and Scientific Name.	Months of Breeding.	N. S. W.	N. Aust.	Queensland	Victoria	S. Aust.	Tasmania.	West Aust.
The Australian Snipe (Gal- LINAGO AUSTRALIS)	Does not breed in N.S. W., said to breed in S. Aust. during Jan. and Feb.	*	*	*	*	來	*	*
The Painted Snipe (RHYNCHŒA AUSTRALIS) The Australian Curlew, Long-	reeding in in S. Aust.	*	*	*	*	*		*
billed Whimbrel, &c. (NU- MENIUS CYANOPUS) The Australian Whimbrel (NUMENIUS UROPYGIALIS,	record of their breeding in W.; said to breed in S. Aust. ng Jan. and Feb.	*	*	*	*	*	*	*
Gould) The Little Whimbrel (Numerius minor, Schl.)	No record N.S.W.; st during Jan	*	*	*	*	*	*	*
The Straw-necked Ibis (GE- RONTICUS SPINICOLLIS)	s breed- ing the of Jan.	*	*	*	*			
The White Ibis (IBIS) Thres- kiornis, STRICTIPENNIS) The Glossy Ibis (IBIS, (Fal-	se species they wil oreed dur	*	*	*	*			
cinellus) IGNEUS) The Royal Spoonbill (Platalea regia) Gould	No records of these species breed ing in Australia,; they will prob- bbly be found to breed during the months Nov., Dec., to end of Jan	*	*	*	*	*		
The Yellow-legged Spoonbill (PLATALEA FLAVIPES, Gould)	No recording in A ably be months	*	*	*	*			
GRUIDÆ, TRUE CRANES. The Australian Crane, Native Companion, &c. (GRUS AUS- TRALASIANUS, Gould)	Oct. to end of Jan.	*	*	*	*	*		

			Di	stri Sp	but ecie		of	
Local or Vulgar and Scientific Name.	Months of Breeding.	N. S. W.	N. Aust.	Queensland	Victoria.	S. Aust.	Tasmania.	West Aust.
CYCONIDÆ, STORKS, ETC. The Jabiru, Gigantic Crane, &c. (XENORHYNCHUS AUSTRALIS	Sept., Oct. to Jan.	*	*	*	*	米		
The Common Heron (ARDEA CINEREA, Linn.)		朱		*		*		
The Great-billed Heron (ARDEA SUMATRANA, Raffles)	Sept., Oct. to end of Feb.	米	*	*				
The Pacific Heron (ARDEA PACIFICA, Lath.) The White-fronted Heron, Blue Crane, &c. (ARDEA	Sept., Oct., to end of Feb.	*	*	*	*	*	米	*
Novæ-Hollandiæ)	Sept. to Dec.	*		*	*	*	*	*
The Australian Egret, Large White Crane (HERODIAS ALBA, Linn.) The Plumed Egret, Smaller White Crane, &c. (HERO-	tion on record respecting pg of these species; but i during Oct., Nov., Dec.	*	*	*	*	*	*	*
DIAS EGRETTOIDES)	on on of the	*	*	*	*	*		
The Spotless Egret (HERO- DIAS MELANOPUS) The Little Egret (HERODIAS	nformatic breeding	*	*	*	*	*		乘
GARZETTA) The Sombre Egret (HERODIAS ASHA)	No reliable information on the time of breeding of th they probably breed during and Jan.	*	*	*	*	*		

			Dia	stri Sp	but:		of	
Local or Vulgar and Scientific Name.	Months of Breeding.	N. S. W.	N. Aust.	Queensland	Victoria.	S. Aust.	Tasmania.	West Aust.
The Pied Egret (HERODIAS PICATA) The Blue Reef-Heron, White Reef Heron, Grey's Reef	No reliable information on record respecting the breeding time of these species; they probably breed during Oct., Nov., Dec., and Jan.		**					
Heron, &c. (Herodias sacra) The Nankeen Night Heron	No reli on reco breedin species breed d Dec., a	※	*	*	*	*		*
(Nycticorax Caledonicus)	Oct. to Jan.	*	米	*	米	*		*
BITTERNS AND ALLIED GENERA. The Australian Bittern (Botaurus Australis) Gould The Yellow-necked Mangrove	Breeding months not known; prob- ably from Oct. to Dec.	*		*	茶	*	*	米
Bittern (BUTOROIDES FLA- VICOLLIS) The Thick-billed Mangrove	Oct. to Jan.	*	*	*	*	*		米
Bittern (BUTOROIDES MAC- RORHYNCHA) The Little Mangrove Bittern	Sept. to Jan.	*	*	*				
(Butoroides Javanica)	Oct. to Jan.		*	*				
Minute Bittern, Reed Bittern, &c. (Ardetta pusilla)	Breeding months not known; prob- ably from Oct. to Dec.	*		*	*			
RAILS, WATER HENS, AND ALLIES.								
The Black-backed Porphyrio, Red-bill, &c. (Porphyrio MELANOTUS)	Aug. to end of Nov.	*	*	*	*	*	*	

			Dis	stril Sp	but		of	
Local or Vulgar and Scientific Name.	Months of Breeding.	N. S. W.	N. Aust.	Queensland	Victoria.	S. Aust.	Tasmania.	West Aust.
The Azure-breasted Porphyrio, West Australian Redbill (Porphyrio Bellus)	Aug. to end of Nov.							*
Mortier's tribonyx. Native Hen, Swamp Hen, &c.								
(Tribonyx Mortieri, Du Bus.) The Black-tailed Tribonyx,	Oct., Nov., and Dec.							*
Moor Hen, Swamp Hen, &c. (Tribonyx ventralis) The Sombre Gallinule, Water	Oct., Nov., and Dec.	*		*	*	*		*
Hen, &c. (Gallinula tene- Brosa) The Rufous-vented Gallinule (Gallinula ruficrissa)	Sept., Oct., and Dec.		*					
The Australian Coot, White-billed Water Hen, &c. (FULICA AUSTRALIS)	Sept., Oct., and Dec.	*						
The Pectoral Rail, Land Rail (RALLUS, (Hypotænidia) PHILIPPENSIS) Lewin's Rail, Water Rail,	Sept., Oct., Nov. & Dec.	*	*	*	米	*	*?	*
(RALLUS BRACHIPUS, Swains) The Chestnut - bellied Rail,	Oct to Dec. No record—	米		*	*	*	*	*
EULABEORNIS CASTANEIVEN- TRIS, Gould)	probably Oct. to Dec.		*	※?				
The Spotted Water Crake, (Porzana fluminea)	Sept. to Dec.	*	*	*	*	*	*	
The Little Water Crake, (PORZANA PALUSTRIS)	Sept. to Dec.	*	*	*	*	*	*	

List of Australian Game Birds, &c. (Continued.)

		Distribution of Species.						
Local or Vulgar and Scientific Name.	Months of Breeding.	N. S. W.	N. Aust.	Queensland	Victoria.	S. Aust.	Tasmania.	West Aust.
The Tabuan Water Crake, Spotless Water Rail, &c., (PORZANA TABUENSIS) The White-eye-browed Water (Crake, (PORZANA, (Erythra) QUADRISTRIGATA)	Sept. to Dec. Oct. to Dec.	*	*	*	*	*	*	*
NATATORES; ANATIDÆ, DUCKS, GEESE, &c., AND THEIR ALLIES. The Black Swan, (CYGNUS, (Chenopis) ATRATUS) Cereopsis Goose, Cape Barren	Oct. to end of Jan.	*		*	*	*	*	*
Goose, &c. (ĈEREOPSIS NOVÆ-HOLLANDIÆ) The Maned Goose, Wood	July to Oct.	*			*	*	*	
Duck, &c., (Chlamydochen Jubata) The semi - palmated Goose, Black and white Goose,	Sept., Oct., to end of Dec.	*		*	*	*		*
Pied Goose, &c., (Anser- ANAS MELANOLEUCA) The Green - backed Pigmy	Oct. to end of Jan.	*	*	*	*	*		
Goose, Little Goose, &c., (NETTAPUS PULCHELLUS, Gould) The White-quilled Pygmy			*	*				
Goose, (Nettapus albipennis, Gould) The Radjah Shieldrake,	Dec. & Jan.	*	*	*				
White-headed Wood Duck, &c. (TADORNA RADJAH, Eyton)	Oct., Nov. to end of Dec.		*	*	*?			

		Distribution of Species.							
Local or Vulgar and Scientific Name.	Months of Breeding.	N. S. W.	N. Aust.	Queensland	Victoria.	S. Aust.	Tasmania.	West Aust.	
The Chestnut-colored Shieldrake, New-Holland Shieldrake, Great White-winged Duck, Mountain Duck, &c. (Casarca tadornoides, Eyton) The Australian Wild Duck, Black Duck, Grey Duck, &c., (Anas superciliosa, Gmel.)	Oct. Nov. and Dec. July, Aug. to end of Dec.	*	*	*?	*	*	*	*	
Australian Teal (Anas punctata, Cuv.) The Freckled Duck (Anas nævosa) The Australian Shoveller, &c. (Spatula rhynchotis, Lath.) Pink-eyed Duck, Zebra Duck, Little Shoveller, Whistling Duck, (Malacorhynchus membranaceus)	Sept. to end of Dec. No records; probably during Oct. to end of Dec. Oct. to end of Jan. Oct. to end of Jan.	**	*?	*	*	*	*	*	
The Whistling Wood Duck (DENDROCYGNA VAGANS) Eyton's Wood Duck (LEPTOTARSIS (Dendrocygna) EYTONI) White-eved Duck, White-	Nov. and Dec. to March. No records of time of breeding; probably from Nov. to March. No record of	*	*	*	*	*	*	*	
winged Duck, Brown Duck &c. (Nyroca Australis)	the time of breeding.	米	*	*	*	*	*	*	

Local or Vulgar and Scientific Name,			Distribution of Species.							
	Months of Breeding.	N. S. W.	N. Aust.	Queensland	Victoria.	S. Aust.	Tasmania.	West Aust.		
Blue-billed Duck (Erismatura Australis, Eyton) The Musk Duck (Biziura lobata)	Sept. to end November. Sept. to end of Jan.	*		*	*	*	*	*		

The Latin names of those birds not considered as "Game" in Australia are in ordinary type; those of the "Game Birds" in small capitals.

Addenda, including certain Birds worthy of protection on account of their beauty and rarity, and which, without protection, would soon become extinct.

The White-bellied Plumed Bronzewing (Lophophaps Lencogaster, Gould) The Red-necked Rail, Red Scrub Rail, &c. (Rallina	No records				*	*		
TRICOLOR)	Sept. to Dec.		*	米				
The Grass Parrot (Pezopo-	•							
RUS FORMOSUS)	Oct. to Jan.	*			*	*		
The Night Parrot (Geopsit-	>T 1				*	*		*
TACUS OCCIDENTALIS)	No records				~	-1/-		~
The Common Shore Gull (Larus (Xema) Jamesonii)	Oct., Nov.,	*	*	*	*	*	*	*
The Great White-bellied Sea	and Dec.							
Eagle (Haliaftus leucogas-	Sept. to end							
ter)		*	*	*	*	*	*	*
The Pelican (Pelicanus con-								
spicillatus, Temm.)	of Feb.	*	*	米	*	*	米	*